





The new case design Benefits at a glance

Robust on the outside, roomy on the inside: perfect for the highest demands

Our tool cases always offer an ideal balance between attractive design and plenty of storage space, sturdy construction and the most compact dimensions possible, as well as light weight. They are tailored to the many different needs of tradespeople — and are therefore available in a wide range of sizes and versions.



- "Basic"
- "BIG Basic Move"
- "BIG Twin"
- "BIG Twin Move"
- "BIG Twin Move RED"













Tool Case "Basic"

A classic: everything well sorted

► Two metal flip locks and a three-digit combination lock for secure locking of the cover

NEW DESIGN

▶ Label field with two stickers for individual labelling

► Max. payload: 15 kg

▶ Volume: 27 litres

- > Strong, ergonomic handle
- > Rugged design made of ABS material, black
- > Circumferential aluminium frame
- > Metal hinges
- > Document compartment in the cover
- > Two removable tool boards made from dirtrepellent PP twin-wall sheets with 20 tool pockets
- > Base tray, can be fixed by press button, height 50 mm, can be subdivided by flexible inserts; cover plate with 13 large compartments
- > With a total of 41 inserting options



Tool boards made from dirt-repellent PP twin-wall sheets









Base tray with separable inserts

Article No.	EAN 4003773-	Dimension exterior (interior) width mm mm	Dimension exterior (interior) height mm mm	Dimension exterior (interior) depth mm mm	ΔΔ g
00 21 05 LE	056904	465 (440)	200 (180)	410 (350)	4000



Tool Case "BIG Basic Move"

Classic all-rounder with trolley function for working on the move

NEW

► Telescopic handle set in the base as well as two external, smooth-running skater wheels

► Two metal flip locks and a three-digit combination lock for secure locking of the cover

▶ Label field with two stickers for individual labelling

► Max. payload: 20 kg

▶ Volume: 33 litres

- > Strong, ergonomic handle
- > Rugged design made of ABS material, black
- > Circumferential aluminium frame
- > Metal hinges
- > Document compartment in the cover
- > Two removable tool boards made of dirt-repellent PP twin-wall sheets with 31 tool pockets
 - First tool board with ten tool pockets and an elastic strap on the cover side and eleven narrow and one large tool pocket on the base side
- Second tool board with ten narrow tool pockets and an elastic strap on the base side and document compartment on the cover side

> Base tray, can be fixed by press button, height 70 mm, can be subdivided by flexible inserts; cover plate with 14 large compartments

> With a total of 54 inserting options





Tool Case "BIG Basic Move" Electro



The basic mobile tool kit for electricians

▶ Equipped with six KNIPEX tools, a total of 24 brand tools, partly VDE-tested according to DIN EN 60900

> For further benefits of the case, see page 7



03 06 180 KNIPEX		98 52 KNIPEX	113	Rennsteig		Ruthe	
25 06 160 KNIPEX	K	8 x Wera		Stabila		Ruthe	-
11 06 160 KNIPEX	City	Wera	-	Picard		maurerfreund	
70 06 160 KNIPEX	40	Rennsteig		Picard	TR .	Haunstätter	
16 20 165 KNIPFX	- 1 m / 1				1		1

Article No.	EAN 4003773-					Number	Nominal size	∆ d g
00 21 06 HLS 🔃	052296		Tool Case "B	IG Basic Move" Electro, 24 parts				96
		<u>A</u> 1000 V A ←	03 06 180	Combination Pliers		1	180 mm	
		≙ 1000 V △♠ ■■ ●■	25 06 160	Snipe Nose Side Cutting Pliers, Radio Pliers		1	160 mm	
		<u>A</u> 1000 V AA	11 06 160	Insulation Stripper	KNIPEX	1	160 mm	
		<u>A</u> 1000 V A ←	70 06 160	Diagonal Cutter	KINIPEX	1	160 mm	
		<u>A</u> 1000 V AA	16 20 165	Dismantling Tool		1	165 mm	
			98 52	Cable Knife		1	185 mm	
						1	0.4 x 2.5 x 80 mm	
		A 4000V A 🕒 🗪		Screwdrivers for slotted screws,		1	0.6 x 3.5 x 100 mm	
		<u>A</u> 1000 V <u>A</u>		1160i		1	1.0 x 5.5 x 125 mm	
						1	1.2 x 6.5 x 150 mm	
		A 4000 V A		Screwdrivers for cross recessed Phillips®	Wera	1	PH1 x 80 mm	
		≙ 1000 V △△		screws, 1162i		1	PH2 x 100 mm	
		A 4000V A A		Screwdrivers for cross recessed Pozidriv®		1	PZ1 x 80 mm	
		<u>A</u> 1000 V △ →		screws, 1165i		1	PZ2 x 100 mm	
		•		Voltage detector, single-pole, 247		1	0.5 x 3.0 x 70 mm	
				Mason's Chisels	Dannetair	1	250 mm	
				Electrician's Chisel	Rennsteig	1	250 x 10 mm	
				Carpenter's pencil	Stabila	1		
				Plaster bowl	Disard	1	127 x 94	
				Flat brush	Picard	1	40 mm	
				Locksmith's hammer	Ruthe	1	300 g	
				Sledge hammer	Nulle	1	1000 g	
				Painter's spatula, wood, high quality	maurerfreund	1	40 mm	
				PUK® Junior Hacksaw	Haunstätter	1	150 x 240 mm	
00 21 06 LE N	057512		Tool Case "E	BIG Basic Move", empty				62

Tool Case "BIG Basic Move" Sanitary

The basic mobile tool kit for sanitary, heating and air-conditioning professionals

► Equipped with four KNIPEX tools, a total of 31 brand tools, partly VDE-tested according to DIN EN 60900

> For further benefits of the case, see page 7



70 06 160 KNIPEX	40	2 x Wera		Неусо		Rennsteig	
86 03 250 KNIPEX		Ruthe		Haunstätter		Stabila	
88 01 250 KNIPEX		Picard		Неусо	> 1 C	Stabila	
88 01 300 KNIPEX		Picard		Picard	acountain)	9 parts Wera	
3 x Wera		Nölle	0	Picard		Zenten	

Article No.		EAN 4003773-					Number	Nominal size	∆ g
00 21 06 HKS	N	070825		Tool Case "BIG	Basic Move" Sanitary, 31 parts				98
			<u>A</u> 1000 V AA	70 06 160	Diagonal Cutter		1	160 mm	
				86 03 250	Pliers Wrench	KNIPEX	1	250 mm	
			mm1111	88 01 250	VALIDEY Alligator® Mater Dump Diere	KINIPEX	1	250 mm	
				88 01 300	KNIPEX Alligator®, Water Pump Pliers		1	300 mm	
					6 1 1 1 1		1	0.6 x 3.5 x 100 mm	
			<u>A</u> 1000 V △ 🗗 🖨		Screwdrivers for slotted screws, 1160i		1	1.0 x 5.5 x 125 mm	
					11001	10/	1	1.2 x 6.5 x 150 mm	
			- ↑ 1000 V △ ← ↑		Screwdrivers for cross recessed Phillips®	Wera	1	PH1 x 80 mm	
			₹ 1000 V @ 😝 🔾		screws, 1162i		1	PH2 x 100 mm	
					Set of hex key wrenches		9	1.5 - 10 mm	
					Locksmith's hammer	Ruthe	1	300 g	
					Flat brush	Disard	1	40 mm	
					Carpenter's pencil	Picard 1	24 cm		
					Plasterer's bowl	Nölle	1	125 x 90 mm	
					Professional utility knife, zinc die casting	Harran	1	170 mm; 18 mm	
					Express key	Heyco	1	17 x 19 mm; M 10	
					PUK® Junior Hacksaw	Haunstätter	1	150 x 240 mm	
					Steel wire brush, 5-row	Diagnal	1	280 mm	
					Painter's spatula	Picard	1	40 mm	
					Electrician's Chisel	Rennsteig	1	250 x 10 mm	
					Spirit level type 70	Ctabila	1	30 cm	
					Wooden folding rule type 607N	Stabila	1	2 m	
					Pipe cutter	Zenten	1	3 - 35 mm / 1/8 - 1 1/2"	
00 21 06 LE	N	057512		Tool Case "Blo	G Basic Move", empty				62



The design for the "BIG Twin" series



Tool Case "BIG Twin Move"

For quick access: everything at a glance, even on the move

► Telescopic handle set in the base as well as two external, smooth-running skater wheels

► Free-standing in all opening positions thanks to snap-in cover holders with hinge mechanism on both sides, angle freely adjustable

➤ Can be opened from one or both sides; bottom and lid can be opened independently of each other

 Label field with two stickers for individual labelling

► Max. payload: 30 kg

▶ Volume: 44 litres

> Rugged design made of ABS material, black

> Circumferential aluminium frame with securely mounted, sturdy centre wall that can be fitted on both sides, with versatile inserting options due to elasticated loops and twelve small pockets

> Metal hinges

> Three-digit combination lock for secure locking of the case

> Two metal flip locks each for fixing the cover and the base

> Removable document compartment and removable tool boards made from dirt-repellent PP twin-wall sheets with 13 tool pockets

> Base tray, can be fixed by press button, height 58 mm, can be subdivided by flexible inserts; cover plate with 13 large compartments

> With a total of 95 inserting options



Everything at hand thanks

to intelligent layout





handle

NEW DESIGN



skater wheels

Article No.	EAN	Dimension exterior (interior) width mm	Dimension exterior (interior) height mm	Dimension exterior (interior) depth mm	ΔΔ
	4003773-	mm	mm	mm	g
00 21 41 LE	071549	520 (490)	435 (370)	290 (110/100)	8600

Tool Case "BIG Twin Move" Electro

Everything under control, even when on the move: extensive range of tools for the professional electrician

► Equipped with 14 KNIPEX tools, a total of 63 brand tools, partly VDE-tested according to DIN EN 60900

> For further benefits of the case, see page 12



00 11 01 KNIPEX	26 26 200 KNIPEX	-	97 53 04 KNIPEX	Wera	3
08 26 145 KNIPEX	70 06 160 KNIPEX		98 52 KNIPEX	Picard	
12 42 195 KNIPEX	74 06 200 KNIPEX	4m	2 x 98 2X XX SL KNIPEX	Rennsteig	-
13 86 200 KNIPEX	86 03 180 KNIPEX	17.5	16 parts Wera	Stabila	. M.O.
16 95 01 SB KNIPEX	87 01 180 KNIPEX		28 parts Wera	Stabila	100

Article No.	EAN 4003773-					Number	Nominal size	2
00 21 41	2 082118		Tool Case "BIG	Twin Move" Electro, 63 parts				13
			00 11 01	KNIPEX TwinKey®, Control Cabinet Key		1		
		≙ 1000 V △€ □ □ □	08 26 145	Needle-Nose Combination Pliers		1	145 mm	
		MM	12 42 195	KNIPEX MultiStrip 10, Automatic Insulation Stripper		1	195 mm	
		≙ 1000 V △ ← □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □		Pliers for Electrical Installation		1	200 mm	
		MM	16 95 01 SB	KNIPEX ErgoStrip®, Universal Stripping Tool		1	135 mm	
		≙ 1000 V △€ □ □ ► □ △ 4 0° ⊖	26 26 200	Snipe Nose Side Cutting Pliers, (Stork Beak Pliers)		1	200 mm	
		≙ 1000 V △♠	70 06 160	Diagonal Cutter	KNIPEX	1	160 mm	
		☆ 1000 V △♠	74 06 200	High Leverage Diagonal Cutter	KINII LX	1	200 mm	
			86 03 180	Pliers Wrench		1	180 mm	
			87 01 180	KNIPEX Cobra®, Hightech Water Pump Pliers		1	1 180 mm	
		/ ₩/ 5	97 53 04	Self-Adjusting Crimping Pliers for wire end sleeves		1	180 mm	
		☆ 1000 V △	98 52	Cable Knife		1	185 mm	
		≙ 1000 V △ ♣ ♣	98 25 01 SL	Screwdrivers (Slim) for cross-recessed screws, Pozidriv®		1	PZ 1 x 80 mm	
		≙ 1000 V △ ♣ ♣	98 20 35 SL	Screwdriver (Slim) for slotted screws		1	0,6 x 3.5 x 100 mm	
				Kraftform Kompakt VDE 16 extra slim 1, 16 parts		1		
				Zyklop set of metal ratchets, 8100 SA 8, 28 parts	Wera	1	1/4"	
				Joker open-end wrench		1	10 x 13 mm	
				Locksmith's hammer	Picard	1	300 g	
				Electrician's Chisel	Rennsteig	1	250 x 10 mm	
				Spirit level type 70 Electric	Stabila	1	430 mm	
				Pocket Electric mini spirit level	Stabila	1	68 mm	
00 21 41 LE	Z 071549		Tool Case "BIG	Twin Move", empty				8

Tool Case "BIG Twin"

For quick access: everything at a glance

► Free-standing in all opening positions thanks to snap-in cover holders with hinge mechanism on both sides, angle freely adjustable

► Can be opened from one or both sides; bottom and lid can be opened independently of each other

 Label field with two stickers for individual labelling

Max. payload: 25 kg

▶ Volume: 44 litres

> Rugged design made of ABS material, black

> Circumferential aluminium frame with securely mounted, sturdy centre wall that can be fitted on both sides, with versatile inserting options due to elasticated loops and twelve small pockets

- > Metal hinges
- > Three-digit combination lock for secure locking of the case
- > Two metal flip locks each for fixing the cover and the base
- > Removable document compartment and removable tool boards made from dirt-repellent PP twin-wall sheets with 13 tool pockets
- > Base tray, can be fixed by press button, height 58 mm, can be subdivided by flexible inserts; cover plate with 13 large compartments
- > With a total of 95 inserting options



Base tray with handy, robust aluminium dividing bars





Article No.	EAN 4003773-	Dimension exterior (interior) width mm mm	Dimension exterior (interior) height mm	Dimension exterior (interior) depth mm mm	Δ [†] Δ
00 21 42 LE N	084211	520 (490)	435 (370)	250 (110/100)	7200

Tool Case "BIG Twin" Electro



Always at hand: extensive range of tools for the professional electrician

- ► Equipped with 14 KNIPEX tools, a total of 63 brand tools, partly VDE-tested according to DIN EN 60900
- > For further benefits of the case, see page 14



00 11 01 KNIPEX	26 26 200 KNIPEX		97 53 04 KNIPEX	KI .	Wera	3
08 26 145 KNIPEX	70 06 160 KNIPEX	€i	98 52 KNIPEX		Picard	
12 42 195 KNIPEX	74 06 200 KNIPEX	dire	2 x 98 2X XX SL KNIPEX		Rennsteig	
13 86 200 KNIPEX	86 03 180 KNIPEX	15.9	16 parts Wera		Stabila	MO
16 95 01 SB KNIPEX	87 01 180 KNIPEX		28 parts Wera		Stabila	100

Article No.	EAN 4003773	-				Number	Nominal size	\\ \delta \\ \delta \\ \g
00 21 42	N 081968		Tool Case "BIG	Twin" Electro, 63 parts				114
			00 11 01	KNIPEX TwinKey®, Control Cabinet Key		1		
		≙ 1000 V △€ □□□	08 26 145	Needle-Nose Combination Pliers		1	145 mm	
		MM	12 42 195	KNIPEX MultiStrip 10, Automatic Insulation Stripper		1	195 mm	
		à 1000 V △ ← □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □		Pliers for Electrical Installation		1	200 mm	
		MM	16 95 01 SB	KNIPEX ErgoStrip®, Universal Stripping Tool		1	135 mm	
		<u>A</u> 1000 V A A A A A A A A A A	26 26 200	Snipe Nose Side Cutting Pliers, (Stork Beak Pliers)		1	200 mm	
		≙ 1000 V △♠	70 06 160	Diagonal Cutter	KNIPEX	1	160 mm	
		≙ 1000 V △♠	74 06 200	High Leverage Diagonal Cutter	KINII LX	1	200 mm	
			86 03 180	Pliers Wrench		1	180 mm	
			87 01 180	KNIPEX Cobra®, Hightech Water Pump Pliers		1	180 mm	
		/ ₩/ ≤	97 53 04	Self-Adjusting Crimping Pliers for wire end sleeves		1	180 mm	Ī
		≙ 1000 V △	98 52	Cable Knife		1	185 mm	
		<u>A</u> 1000 V △	98 25 01 SL	Screwdrivers (Slim) for cross-recessed screws, Pozidriv®		1	PZ 1 x 80 mm	
		<u>≙</u> 1000 V <u>△</u>	98 20 35 SL	Screwdriver (Slim) for slotted screws		1	0,6 x 3.5 x 100 mm	
				Kraftform Kompakt VDE 16 extra slim 1, 16 parts		1		
				Zyklop set of metal ratchets, 8100 SA 8, 28 parts	Wera	1	1/4"	
				Joker open-end wrench		1	10 x 13 mm	
				Locksmith's hammer	Picard	1	300 g	
				Electrician's Chisel	Rennsteig	1	250 x 10 mm	
				Spirit level type 70 Electric	Stabila	1	430 mm	
				Pocket Electric mini spirit level	Stabila	1	68 mm	
00 21 42 LE	N 084211		Tool Case "BIG	Twin", empty				72



Tool Case "BIG Twin Move RED" Electro Competence



Better safe than sorry: 47 insulated brand tools for work on electrical systems

- ► Hard-wearing ABS material construction, red; equipped with a range of KNIPEX tools for working on electrical systems, tested according to DIN EN/IEC 60900
- ► Telescopic handle set in the base as well as two external, smooth-running skater wheels
- ► Free-standing in all opening positions thanks to snap-in cover holders with hinge mechanism on both sides, angle freely adjustable
- ► Can be opened from one or both sides; bottom and lid can be opened independently of each other
- ► Max. payload: 30 kg
- ▶ Volume: 44 litres
- > Label field with two stickers for individual labelling
- > Circumferential aluminium frame with securely mounted, sturdy centre wall that can be fitted on both sides, with versatile inserting options due to elasticated loops and twelve small pockets
- > Metal hinges
- > Three-digit combination lock for secure locking of the case
- > Two metal flip locks each for fixing the cover and the base
- > Removable document compartment and removable tool boards made from dirt-repellent PP twin-wall sheets with 13 tool pockets
- > Base tray, can be fixed by press button, height 58 mm, can be subdivided by flexible inserts; cover plate with six large compartments
- > Dimensions, exterior (W x H x D): 520 x 435 x 290 mm Dimensions, interior (W x H x D): 490 x 370 x 110/100 mm
- > IEC 60900, DIN EN 60900
- > With a total of 95 inserting options





70 06 160 KNIPEX	40	6 x 98 00 XX KNIPEX	T SHIP TO SEE	9 x 98 47 XX KNIPEX	1-70	98 25 02 SLS KNIPEX	
08 26 145 KNIPEX		6 x 98 01 XX KNIPEX		6 x 98 64 02 KNIPEX		2 x 98 24 XX SL KNIPEX	
11 06 160 KNIPEX		98 42 KNIPEX	-	98 20 25 KNIPEX		98 52 KNIPEX	
87 26 250 KNIPEX	R. C.	98 40 KNIPEX		3 x 98 20 XX SL KNIPEX		98 53 03 KNIPEX	
95 16 200 KNIPEX		2 x 98 45 XXX KNIPEX		2 x 98 25 XX SL KNIPEX			

Article No.		AN)03773-				Number	Nominal size
8 99 15	N 08	34341		Tool Case "BIG	Twin Move RED", 47 parts		
			<u>A</u> 1000 V @ € □ □ ►	08 26 145	Needle-Nose Combination Pliers	1	145 mm
			<u>A</u> 1000 V △	11 06 160	Insulation Stripper	1	160 mm
			☆ 1000 V △♠	70 06 160	Diagonal Cutter	1	160 mm
			<u>A</u> 1000 V @ € □□□	87 26 250	KNIPEX Cobra®, Hightech Water Pump Pliers	1	250 mm
			<u>A</u> 1000 V △ 🚭	95 16 200	Cable Shears with twin cutting edge	1	200 mm
				98 00 10		1	10 mm
			-	98 00 13		1	13 mm
				98 00 14	Onen and uwanch	1	14 mm
				98 00 17	Open-end wrench	1	17 mm
				98 00 19		1	19 mm
			A 4000 V 🖸	98 00 22		1	22 mm
			<u></u> ★ 1000 V ○	98 01 10		1	10 mm
				98 01 13		1	13 mm
			98 01 14	Box Wrench	1	14 mm	
			98 01 17	BOX WIEICH	1	17 mm	
			98 01 19		1	19 mm	
			98 01 22		1	22 mm	
			98 20 25	Screwdrivers for slotted screws	1	0.4 x 2.5 x 75 mm	
	☆ 1000 V 🏖 🥰 		∆ 1000 V	98 20 40 SL	5 11 450 15 15 15	1	0.8 x 4.0 x 100 mm
		₹ 1000 V •	98 20 55 SL	Screwdriver (Slim) for slotted screws	1	1.0 x 5.5 x 125 mm	
			98 20 65 SL		1	1.2 x 6.5 x 150 mm	
			∆ 1000 V . ♠ ♣ ♠	98 25 01 SL	Screwdrivers (Slim) for cross-recessed screws, Pozidriv®	1	PH1 x 80 mm
			<u>A</u> 1000 V △ ♣ ♦	98 25 02 SL		1	PH2 x 100 mm
			≙ 1000 V △♣	98 25 02 SLS	Screwdrivers (Slim) Plus/Minus Pozidriv®	1	PZ/S 2 x 100
			☆ 1000 V △←	98 24 01 SL	24 01 SL Screwdrivers (Slim) for cross-recessed screws Phillips®	1	PH1 x 80 mm
			Z 1000 V @= €	98 24 02 SL	sciewalivers (silili) for cross-recessed sciews r fillips	1	PH2 x 100 mm
			<u>A</u> 1000 V 🌠	98 40	T-Handle Drive with driving square 1/2"	1	165 mm
			<u>A</u> 1000 V 🌠	98 42	Reversible Ratchet with driving square 1/2"	1	1/2"
			- <u>A</u> 1000 V ¼ ⅓	98 45 125	Extension Bar with internal/external square 1/2"	1	1/2"
			∆ 1000 V 124 (2)	98 45 250	Extension bar with internal/external square 1/2	1	1/2"
				98 47 10		1	1/2" / 10 mm
				98 47 11		1	1/2" / 11 mm
				98 47 12		1	1/2" / 12 mm
				98 47 13	Havenen Casket for havener -1	1	1/2" / 13 mm
			≙ 1000 V ○ 🔞	98 47 14	Hexagon Socket for hexagonal screws with internal square 1/2"	1	1/2" / 14 mm
				98 47 17		1	1/2" / 17 mm
				98 47 19		1	1/2" / 19 mm
				98 47 22		1	1/2" / 22 mm
				98 47 24		1	1/2" / 24 mm
			☆ 1000 V △	98 52	Cable Knife	1	185 mm
			Z 1000 V ← 3€	98 53 03	Dismantling Knife for round cables	1	155 mm
			₽1000 V WW	98 64 02	Insulating Clamp of plastic	6	150 mm



Tool Case "Robust"

The name says it all: ideal for outdoor use

- ► For the toughest conditions: Dust-tight, waterproof and temperature-resistant
- > Fit-to-fly case, made from impact-resistant polypropylene
- > Dustproof and watertight
- > Air pressure compensation valve
- > Temperature-resistant from 30°C bis + 80°C
- > Padlock eyelets
- > Document compartment; tool boards made from dirt-repellent PP twin-wall sheets with tool pockets and straps
- > Lockable base tray can be individually divided using aluminium separator system
- > Ergonomic dual-component handle



Pressure valve for venting and name plate for individual labelling



Document compartment



Device for securing with a padlock (lock not included)



Aluminium separators for individual division of the base tray

The "Robust" cases compared:

	Number of inserting options	Litre capacity	Max. payload kg	Dimensions base tray mm	Trolley function
"Robust23" 00 21 35 LE	49	23	25	470 x 370 x 190	-
"Robust34" 00 21 36 LE	93	34	25	510 x 419 x 215	-
"Robust45 Move" 00 21 37 LE	147	45	35	609 x 428 x 236	√



Also suitable as a standing or sitting aid



Case locking via robust flip locks



Secure fastening of the tool board prevents tools from falling out of the base

Tool Case "Robust23" Electro



Small and robust: handy case with tools for professional electricians

► Equipped with 25 brand tools, partly VDE-tested according to DIN EN 60900

► Max. payload: 25 kg

▶ Volume: 23 litres

> Document compartment; tool boards made from dirt-repelling twin-wall PP sheets with space for 33 tool pockets and various tool straps

- > With a total of 49 inserting options
- > Base tray with aluminium separators
- > Dimensions, exterior (W x H x D): 470 x 370 x 190 mm Dimensions, interior (W x H x D): 437 x 307 x 172 mm
- > For further benefits of the case, see page 19

00 21 35 LECase supplied without tools




12 40 200 KNIPEX	70 06 160 KNIPEX	€ii	97 53 04 KNIPEX	X V	16 parts Wera	ounted a
13 86 200 KNIPEX	87 01 180 KNIPEX		98 52 KNIPEX		Stabila	-
16 95 01 SB KNIPEX						



With adjustable carrying strap and comfortable multi-component handle







Article No.	EAN 4003773-					Number	Nominal size	∆ d g
00 21 35	N 084365		Tool Case "Robi	ust23" Electro, 25 parts				6800
		MM	12 40 200	Self-Adjusting Insulation Stripper		1	200 mm	
		≙ 1000 V △€ □ □ □ □ □ □ □ □ □ □	13 86 200	Pliers for Electrical Installation		1	200 mm	
		MM	16 95 01 SB	KNIPEX ErgoStrip® Universal Stripping Tool		1	135 mm	
		<u>A</u> 1000 V A A A	70 06 160	Diagonal Cutter	KNIPEX	1	160 mm	
			87 01 180	KNIPEX Cobra®, Hightech Water Pump Pliers		1	180 mm	
		™	97 53 04	Self-Adjusting Crimping Pliers for wire end sleeves		1	180 mm	
		<u>A</u> 1000 V △	98 52	Cable Knife		1	190 mm	
				Kraftform Kompakt VDE 16 extra slim 1, 16 parts	Wera	1		
				Ruler Stabila Serie 400	Stabila	1	185 mm	
00 21 35 LE	077596		Tool Case "Robi	ust23", empty				480

Tool Case "Robust34" Electro

Medium-sized and robust: sturdy case with tools for professional electricians

► Equipped with 26 brand tools, partly VDE-tested according to DIN EN 60900

► Max. payload: 25 kg

▶ Volume: 34 litres

> Document compartment; tool boards made from dirt-repelling twin-wall PP sheets with space for 38 tool pockets and various tool straps

- > With a total of 93 inserting options
- > Base tray with aluminium separators
- > Dimensions, exterior (W x H x D): 510 x 419 x 215 mm Dimensions, interior (W x H x D): 480 x 356 x 199 mm
- > For further benefits of the case, see page 19

00 21 36 LE

Case supplied without tools



00 11 01 KNIPEX	**	13 86 200 KNIPEX		87 01 180 KNIPEX	16 parts Wera	outlined a
08 26 145 KNIPEX		16 95 01 SB KNIPEX		97 53 04 KNIPEX	Stabila	i: • • M Oil
12 40 200 KNIPEX		70 06 160 KNIPEX	€ii	98 52 KNIPEX		



With adjustable carrying strap and comfortable multi-component handle



 $00\,21\,36$ LE - Case supplied without tools





Article No.	EAN 4003773-					Number	Nominal size	g
00 21 36	082583		Tool Case "Rol	oust34" Electro, 26 parts				10000
			00 11 01	KNIPEX TwinKey®, Control Cabinet Key		1		
		≙ 1000 V △€	08 26 145	Needle-Nose Combination Pliers		1	145 mm	
		MM	12 40 200	Self-Adjusting Insulation Stripper		1	200 mm	
		≙ 1000 V △€	13 86 200	Pliers for Electrical Installation		1	200 mm	
		MM	16 95 01 SB	KNIPEX ErgoStrip®, Universal Stripping Tool	KNIPEX	1	135 mm	
		☆ 1000 V △△♠	70 06 160	Diagonal Cutter		1	160 mm	
			87 01 180	KNIPEX Cobra®, Hightech Water Pump Pliers		1	180 mm	
		► ////	97 53 04	Self-Adjusting Crimping Pliers for wire end sleeves with lateral access		1	180 mm	
		<u>A</u> 1000 V △	98 52	Cable Knife		1	185 mm	
		<u>A</u> 1000 V △		Kraftform Kompakt VDE 16 extra slim 1, 16 parts	Wera	1		
				Spirit level type 70 Electric	Stabila	1	430 mm	
00 21 36 LE	082576		Tool Case "Rol	oust34", empty				7100

Tool Case "Robust45 Move" Electro

Large and robust: travel case with a comprehensive range of tools for the mobile electrician

► Extensively equipped with 63 brand tools, partly VDE-tested according to DIN EN 60900

Max. payload: 35 kgVolume: 45 litres

> Gas pressure absorber in the hinge

> Pneumatically cushioned lid

> Document compartment; tool boards made from dirt-repelling twin-wall PP sheets with space for 46 tool pockets and various tool straps

> With a total of 147 inserting options

> Base tray with aluminium separators

> Extendable telescopic handle for comfortable transport

> Large smooth-running wheels

> Dimensions, exterior (W x H x D): 609 x 428 x 263 mm Dimensions, interior (W x H x D): 540 x 364 x 229 mm

> For further benefits of the case, see page 19

00 21 37 LE

Case supplied without tools



With large smooth-running wheels

Gas pressure absorber in the hinge: convenient opening of the lid, with no risk of injury from the case closing inadvertently



Extendable telescopic handle

00 11 01 KNIPEX	26 26 200 KNIPEX		97 53 04 KNIPEX	Wera)
08 26 145 KNIPEX	70 06 160 KNIPEX	€ii	98 52 KNIPEX	16 parts Wera	
12 42 195 KNIPEX	74 06 200 KNIPEX	diss	2 x 98 2X XX SL KNIPEX	Stabila	i. · · · · · · · · · · · · · · · · · · ·
13 86 200 KNIPEX	86 03 180 KNIPEX		Picard	Stabila	-
16 95 01 SB KNIPEX	87 01 180 KNIPEX		Wera	Rennsteig	



Handles on left and right permit comfortable carrying with two people $% \left\{ 1,2,...,n\right\}$



 $00\,21\,37$ LE — Case supplied without tools



With telescopic handle for comfortable transport – even on uneven terrain

Article No.	EAN 4003773-					Number	Nominal size	ΔZ
00 21 37	082606		Tool Case "Ro	bust45 Move" Electro, 63 parts				1500
			00 11 01	KNIPEX TwinKey®, Control Cabinet Key		1		
		≙ 1000 V △ ♣ ■ ■ ■ ▶ ●	08 26 145	Needle-Nose Combination Pliers		1	145 mm	
		MM	12 42 195	KNIPEX MultiStrip 10, Automatic Insulation Stripper		1	195 mm	
		A 1000 V A A A A A A A A A A	13 86 200	Pliers for Electrical Installation		1	200 mm	
		MM	16 95 01 SB	KNIPEX ErgoStrip®, Universal Stripping Tool		1	135 mm	
		$\Theta \blacksquare \triangleright \P$	26 26 200	Snipe Nose Side Cutting Pliers		1	200 mm	
		≙ 1000 V △♣	70 06 160	Diagonal Cutter	KNIPEX	1	160 mm	
		≙ 1000 V △△♦	74 06 200	High Leverage Diagonal Cutter	NIVIFEX	1	200 mm	
			86 03 180	Pliers Wrench		1	180 mm	
			87 01 180	KNIPEX Cobra®, Hightech Water Pump Pliers		1	180 mm	
		► WW	97 53 04	Self-Adjusting Crimping Pliers for wire end sleeves		1	180 mm	
		☆ 1000 V △	98 52	Cable Knife		1	190 mm	
		≙ 1000 V △△	98 25 01 SL	VDE-screwdriver PZ1		1	PZ1x80mm	
	<u>A</u> 1000 V <u>A</u>	98 20 35 SL	VDE-screwdriver 3,5		1	0.6 x 3.5 x 100 mm		
				Locksmith's hammer, 300g	Picard	1		
				Zyklop set of metal ratchets, 8100 SA 8, 28 parts		1	1/4"	
				Joker open-end wrench	Wera	1	10x13 mm	
		≙ 1000 V △		Kraftform Kompakt VDE 16 extra slim 1, 16 parts		1		
				Pocket Electric spirit level	Stabila	1	68 mm	
				Spirit level type 70 Electric	Stabild	1	430 mm	
				Electrician's Chisel	Rennsteig	1	250x10 mm	
00 21 37 LE	082590		Tool Case "Ro	bbust45 Move", empty				108

Tool Case "Vision24" Electro

Well sorted and tidy: the standard tool case with versatile basic equipment

► Equipped with 20 brand tools, partly VDE-tested according to DIN EN 60900

► Max. payload: 20 kg

▶ Volume: 24 litres

- > Flexible options due to the individual partitioning of the inserts in the 60 mm deep base tray and its cover plate with six large tool compartments
- > Tough ratchet hinges hold the lid open where necessary despite the deadweight of the tools
- > Strong, ergonomic handle, snaps into place at a 90° angle
- > Removable tool board with 15 tool pockets on the base side and six tool pockets as well as a clamp compartment (400 mm wide) on the cover side, held by a push button
- > Two lockable steel flip locks protect the case contents from theft
- > With circumferential double aluminium frame
- > Rugged design made of ABS material, black
- > Cover and tool boards made from dirt-repellent PP twin-wall sheets
- > Dimensions, exterior (W x H x D): 480 x 380 x 180 mm Dimensions, interior (W x H x D): 460 x 310 x 170 mm





00 21 20 LECase supplied without tools

Article No.	EAN 4003773-					Number	Nominal size	ΔΔ g
00 21 20	052166		Tool Case "Vis	sion24" Electro, 20 parts				722
		☆ 1000 V △← ■ ■	03 06 180	Combination Pliers		1	180 mm	
		A A A A	12 40 200	Self-Adjusting Insulation Stripper		1	200 mm	
		MM	16 95 01 SB	KNIPEX ErgoStrip®, Universal Stripping Tool		1	135 mm	
		≙ 1000 V △€ ⊖ □□□	26 16 200	00		1	200 mm	
		£ 1000 V ∰€ ∡40° ⊖ □□□	26 26 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)		1	200 mm	
		A 4000V A 6	70 06 160	Diagonal Cutter		1	160 mm	
		<u>A</u> 1000 V <u>A</u>	74 06 200	High Leverage Diagonal Cutter		1	200 mm	
			86 03 180	Pliers Wrench		1	180 mm	
			87 03 250	KNIPEX Cobra®, Hightech Water Pump Pliers		1	250 mm	
		☆ 1000 V △♠ ♦ ♦ 1	95 16 200	Cable Shears with twin cutting edge	KNIPEX	1	200 mm	
		A 1000 V A ← ←	98 20 25	Screwdrivers for slotted screws		1	0.6 x 3.5 x 100 mm	
			98 20 65 SL			1	1.2 x 6.5 x 150 mm	
			98 20 55 SL	Screwdriver (Slim) for slotted screws		1	1.0 x 5.5 x 125 mm	
		_	98 20 40 SL			1	0.6 x 3.5 x 100 mm	
		♦ 1000 V ♠€	98 24 01 SL	Covered tives for exercised Dhilling® severe		1	PH1 x 80 mm	
		☆ 1000 V 企 会 ◆	98 24 02 SL	Screwdrivers for cross recessed Phillips® screws		1	PH2 x 80 mm	
		☆ 1000 V △ 🚅 🛟	98 25 01 SL	Screwdrivers for cross recessed Pozidriv® screws		1	PZ1 x 80 mm	
		<u>₩</u> 1000 A @	98 25 02 SL	Screwarivers for cross recessed Poziarive screws		1	PZ2 x 80 mm	
		≙ 1000 V △ •	98 52	Cable Knife		1	185 mm	
		•		Voltage detector, single-pole, 247	Wera	1	0.5 x 3.0 x 70 mm	
00 21 20 LE	044567		Tool Case "Vis	sion24", empty				448

Tool Case "Vision27" Sanitary

Flexible and extensively equipped: large plumbing range for professionals

► Equipped with 52 brand tools, partly VDE-tested according to DIN EN 60900

Max. payload: 20 kgVolume: 27 litres

- > For extensive plumbing and installation work
- > Flexible options due to the individual partitioning of the inserts in the 60 mm deep base tray and its cover plate with six large tool compartments
- > Tough ratchet hinges hold the lid open where necessary despite the deadweight of the tools
- > Strong, ergonomic handle, snaps into place at a 90° angle
- > Removable tool board with 15 tool pockets on the base side and six tool pockets as well as a clamp compartment (400 mm wide) on the cover side, held by a push button
- > Two lockable steel flip locks protect the case contents from theft
- > With circumferential double aluminium frame
- > Rugged design made of ABS material, black
- > Cover and tool boards made from dirt-repellent PP twin-wall sheets
- > Dimensions, exterior (W x H x D): 480 x 380 x 200 mm Dimensions, interior (W x H x D): 460 x 310 x 190 mm



Article No.	EAN 4003773-					Number	Nominal size	σŻ
00 21 21 HK S	080671		Tool Case "V	ision27" Sanitary, 52 parts		1		960
			86 03 180	Pliers Wrench		1	180 mm	
			87 01 250	KNIPEX Cobra®, Hightech Water Pump Pliers		1	250 mm	
			87 01 400	KNIPEX Cobra® XL, Hightech Water Pump Pliers		1	400 mm	
		☆ 1000 V △♠	74 06 180	High Leverage Diagonal Cutter	KNIPEX	1	180 mm	
		<u>A</u> 1000 V <u>A</u> € □□□	26 16 200	Snipe Nose Side Cutting Pliers, (Stork Beak Pliers)		1	200 mm	
			00 11 01	KNIPEX TwinKey®, Control Cabinet Key		1		
		≙ 1000 V △€		Screwdrivers for slotted screws, 160i		1	0.6 x 3.5 x 100 mm	
		<u>A</u> 1000 V <u>A</u> €		Screwdrivers for slotted screws, 160i		1	1.0 x 5.5 x 125 mm	
		≙ 1000 V △♠		Screwdriver for Torx® screws, 167i		1	TX15 x 80 mm	
		≙ 1000 V △♠		Screwdriver for Torx® screws, 167i		1	TX20 x 80 mm	
		☆ 1000 V △♠		Screwdriver for Torx® screws, 167i		1	TX25 x 80 mm	
		☆ 1000 V △♠		Screwdrivers for cross recessed Phillips® screws, 162i PH		1	PH1x80mm	
		<u>A</u> 1000 V <u>A</u> €		Screwdrivers for cross recessed Phillips® screws, 162i PH	Wera	1	PH2 x100 mm	
				Slotted chisel, 932 A	VVCIU	1	1.2 x 7.0 x 125 mm	
				Slotted chisel, 932 A	1	1	1.6 x 9.0 x 150 mm	
				Voltage detector, single-pole, 247		1	0.5 x 3.0 x 70 mm	
				Zyklop set of metal ratchets 8100 SA 8, 28 parts		1	1/4"	
				Joker open-end wrench		1	10 x 13 mm	
				Set of hex key wrenches		1	1.5 - 10 mm	
				Express key	Неусо	1	17 x 19 mm M 10	
				Safety cutter knife		1	18 mm	
				Locksmith's hammer	Picard	1	300 g	
				Mason's Chisels	Rennsteig	1	250 mm	
				Spirit level type 70	Stabila	1	30 cm	

Tool Case "Focus" Electro

Roomy and variable: the power tool case with large base tray and tool range

► Equipped with 23 brand tools, partly VDE-tested according to DIN EN 60900

▶ 90 mm deep base tray with variable compartments (e.g. for measuring and testing instruments)

► Max. payload: 25 kg

▶ Volume: 35 litres

- > Sturdy ABS hard-shell construction with aluminium frame and wraparound buffer protection
- > Document compartment and pen holding straps
- > One removable tool plate, with elastic loops on both sides
- > One cover plate with elastic loops and tool protection cloth
- > Sturdy metal locks and three-digit combination lock protect the contents of the case
- > Strong, ergonomic handle
- > Feet on both sides
- > Colour: silver, aluminium look
- > Dimensions, exterior (W x H x D): 520 x 420 x 210 mm Dimensions, interior (W x H x D): 480 x 360 x 200 mm





00 21 30 LECase supplied without tools

Article No.	EAN 4003773-					Number	Nominal size	ΔΔ g
00 21 30	051084		Tool Case "Fo	cus" Electro, 23 parts				9440
			00 11 01	KNIPEX TwinKey®, Control Cabinet Key		1		
		≙ 1000 V △♠ □□□	03 06 180	Combination Pliers		1	180 mm	
		A A A A	12 40 200	Self-Adjusting Insulation Stripper		1	200 mm	
		MM	16 95 01 SB	KNIPEX ErgoStrip®, Universal Stripping Tool		1	135 mm	
		≙ 1000 V △♠ ⊖ □ □	26 16 200			1	200 mm	
		A 1000 V A 5 1000 V A	26 26 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)		1	200 mm	
			70 06 125	2: 16 !!		1	1 125 mm 1 160 mm	
		☆1000 V 企	70 06 160	Diagonal Cutter		1		
			86 03 180	Pliers Wrench		1	180 mm	
		\(\frac{1}{2}\) \(\frac{1}\) \(\frac{1}{2}\) \(\frac{1}2\) \(\frac{1}2\) \(\frac{1}2\) \(\frac{1}2\) \(87 03 250	KNIPEX Cobra®, Hightech Water Pump Pliers		1	250 mm	
			92 27 62	Precision Tweezers, insulated	KNIPEX	1	150 mm	
			98 20 25	Screwdrivers for slotted screws		1	0.4 x 2.5 x 75 mm	
			98 20 35 SL			1	0.6 x 3.5 x 100 mm	
		A 400014 A 🗗 🗭	98 20 40 SL	C 1: (c):) (1 !!)		1	0.8 x 4.0 x 100 mm	
		<u>A</u> 1000 V <u>A</u>	98 20 55 SL	Screwdriver (Slim) for slotted screws		1	1.0 x 5.5 x 125 mm	
			98 20 65 SL			1	1.2 x 6.5 x 150 mm	
		<u>A</u> 1000 V AA	98 20 80	Screwdrivers for slotted screws		1	1.2 x 8.0 x 175 mm	
		<u>A</u> 1000 V A 🕰	98 24 00	Screwdrivers for cross recessed Phillips® screws		1	PH0 x 60 mm	
		☆ 1000 V ♠€	98 24 01 SL	Screwdrivers (Slim) for cross-recessed screws,		1	PH1 x 80 mm	
		₹ 1000 V @ ₽ O	98 24 02 SL	Phillips®		1	PH2 x 100 mm	
		- ↑ 1000 V △ ♣ ♦	98 25 01 SL	Caracadriuses for exact recorded Dogids: @		1	PZ1 x 80 mm	
		₩ 1000 A ŒÆ	98 25 02 SL	Screwdrivers for cross recessed Pozidriv® screws		1	PZ2 x 100 mm	
00 21 30 LE	060697		Tool Case "Foo	cus", empty				5450

KNIPEX L-BOXX®

Ideal storage and transport solution: the KNIPEX L-BOXX®

▶ Strong box made of impact- and shock-proof ABS plastic

► Max. payload: 25 kg

- > Splash-proof
- > Several boxes can be securely joined together
- > Flexible inner partitions
- > Handle can be lowered into a hollow in the lid to save space
- > Ergonomically shaped handles with additional moulded recess on the side for flexible, convenient handling
- > With two-piece tool board made from dirt-repellent PP twin-wall
- > Tool holders are connected to each other using hook-and-loop
- > Cover part with ten pockets and ten elastic straps
- > Top of base part with seven pockets and tab for hanging up the tool card; can also be used to lift and set up the L-BOXX®
- > Bottom of base part with 7 pockets and 7 elastic straps
- > Dimensions, exterior (W x H x D): 442 x 151 x 442 mm Dimensions, interior (W x H x D): 375 x 107 x 311 mm



00 21 19 LBCase empty, with tool card



00 21 19 LB LE Case empty, without tool card



00 21 19 LB WK Tool card, individually available



The boxes are stackable and can be securely joined together



A lock can be attached to secure the device (lock not included in delivery)



Washable tool boards

Article No.	EAN 4003773-		Δ̈́Δ g
00 21 19 LB	081616	KNIPEX L-BOXX®, empty, with tool card	3200
00 21 19 LB WK	081609	Two-part tool holder for KNIPEX L-BOXX®	953
00 21 19 LB LE	081975	KNIPEX L-BOXX®, empty, without tool card	2200

KNIPEX L-BOXX® Electro

Ideal storage and transport solution: the KNIPEX L-BOXX® with a large range of tools for professional electricians

- ► Equipped with 14 KNIPEX tools, a total of 63 brand tools, partly VDE-tested according to DIN EN 60900
- > For further benefits of the case, see page 29





00 11 01 KNIPEX		26 26 200 KNIPEX		97 53 04 KNIPEX	W.	Wera	3
08 26 145 KNIPEX		70 06 160 KNIPEX	-fil	98 52 KNIPEX		Picard	
12 42 195 KNIPEX		74 06 200 KNIPEX	- City	2 x 98 2X XX KNIPEX		Rennsteig	
13 86 200 KNIPEX	THE STATE OF THE S	86 03 180 KNIPEX	17.5	16 parts Wera	· Halle	Stabila	Mol
16 95 01 SB KNIPEX		87 01 180 KNIPEX		28 parts Wera		Stabila	205

Article No.	EAN 4003773-					Number	Nominal size	Δ'd g
00 21 19 LB E	081623		KNIPEX L-BOX	X [®] Electro, 63 parts				7800
			00 11 01	KNIPEX TwinKey®, Control Cabinet Key		1		
		☆ 1000 V △♣ ■■	08 26 145	Needle-Nose Combination Pliers		1	145 mm	
		MM	12 42 195	KNIPEX MultiStrip 10, Automatic Insulation Stripper		1	195 mm	
		≙ 1000 V △← ○ ○ ○ ○	13 86 200	Pliers for Electrical Installation		1	200 mm	
		MM	16 95 01 SB	KNIPEX ErgoStrip®, Universal Stripping Tool		1 135 mm		
		<u>A</u> 1000 V A ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■	26 26 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	1	1	200 mm	
		<u>A</u> 1000 V △ ←	70 06 160	Diagonal Cutter	KNIIDEV	1	160 mm	
		<u>A</u> 1000 V △ 🗗	74 06 200	High Leverage Diagonal Cutter	KNIPEX	1	200 mm	
			86 03 180	Pliers Wrench		1	180 mm	
			87 01 180	KNIPEX Cobra®, Hightech Water Pump Pliers		1	180 mm	
		MM ∑	97 53 04	Self-Adjusting Crimping Pliers for wire end sleeves		1	180 mm	
		<u>A</u> 1000 V <u>A</u>	98 52	Cable Knife		1	185 mm	
		☆1000 V △←	98 25 01 SL	Screwdrivers (Slim) for cross-recessed screws, Pozidriv®		1	PZ 1 x 80 mm	
		☆ 1000 V ♠♠	98 20 35 SL	Screwdriver (Slim) for slotted screws		1	0.6 x 3.5 x 100 mm	
				Kraftform Kompakt VDE 16 extra slim 1, 16 parts		1		
				Zyklop set of metal ratchets, 8100 SA 8, 28 parts	Wera	1	1/4"	
				Joker open-end wrench		1	10 x 13 mm	
				Locksmith's hammer	Picard	1	300 g	
				Electrician's Chisel	Rennsteig	1	250 x 10 mm	
			Spirit level type 70 Electric Stabila	1	430 mm			
				Pocket Electric mini spirit level	Stabila	1	68 mm	m
00 21 19 LB	081616		KNIPEX L-BOX	(X [®] , empty, with tool card				32
00 21 19 LB WK	081609		Two-part tool	holder for KNIPEX L-BOXX®				95
00 21 19 LB LE 🔃	081975		KNIPEX L-BOX	(X [®] , empty, without tool card				22

KNIPEX L-BOXX® Sanitary

Ideal storage and transport solution: the KNIPEX L-BOXX® with a large range of tools for the sanitary, heating and air-conditioning professional

- ► Equipped with 13 KNIPEX tools, a total of 52 brand tools, partly VDE-tested according to DIN EN 60900
- > For further benefits of the case, see page 29

00 21 19 LB S



00 11 01 KNIPEX		87 01 400 KNIPEX		9-teilig Wera		Picard	
26 16 200 KNIPEX		7 x 98 2X XX KNIPEX		Heyco	3 I C	Stabila	····
74 06 180 KNIPEX	-6 Hz	Wera	-	Heyco		Stabila	
86 03 250 KNIPEX		28-teilig Wera		Rennsteig		Zenten	
87 01 250 KNIPEX		Wera)	Rennsteig			

Article No.	EAN 4003773-					Number	Nominal size	∆ g	
00 21 19 LB S	081630		KNIPEX L-BOXX® Sanitary, 52 parts						
			00 11 01	KNIPEX TwinKey®, Control Cabinet Key		1			
		≙ 1000 V △€ □□□	26 16 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)		1	200 mm		
		☆ 1000 V △♠	74 06 180	High Leverage Diagonal Cutter		1	180 mm		
			86 03 250	Pliers Wrench		1	250 mm		
			87 01 250	KNIPEX Cobra®, Hightech Water Pump Pliers		1	250 mm		
			87 01 400	KNIPEX Cobra® XL, Hightech Water Pump Pliers		1	400 mm		
		☆1000 V △ ◆	98 20 35	Screwdrivers for slotted screws	KNIPEX	1	0.6 x 3.5 x 100 mm		
		☆1000∨△♣	98 20 55	Screwdrivers for slotted screws		1	1.0 x 5.5 x 125 mm		
		<u>A</u> 1000 V △ 🗗 🗘	98 26 15	Screwdriver for Torx® screws		1	TX15 x 80 mm		
		<u>A</u> 1000 V △ 🗗 🗘	98 26 20	Screwdriver for Torx® screws		1	TX20 x 80 mm		
		<u>A</u> 1000 V △ 🗗 🗘	98 26 25	Screwdriver for Torx® screws		1	TX25 x 80 mm		
		≙ 1000 V △♠	98 24 01	Screwdrivers for cross-recessed screws, Phillips®		1	PH1 x 80 mm		
		<u>A</u> 1000 V △ 🗗 🗘	98 24 02	Screwdrivers for cross-recessed screws, Phillips®		1	PH2 x 100 mm		
				Voltage detector, single-pole, 247		1	0.5 x 3.0 x 70 mm		
				Zyklop set of metal ratchets, 8100 SA 8, 28 parts	Wera	1	1/4"		
				Joker open-end wrench		1	10 x 13 mm		
				Set of hex key wrenches		1	1.5 - 10 mm		
				Express key	Heyco	1	17 x 19 mm M 10		
				Safety cutter knife	_ ′	1	18 mm		
				Electrician's Chisel	D	1	250 x 10 mm		
				Mason's Chisels	Rennsteig	1	250 mm		
				Locksmith's hammer	Picard	1	300 g		
				Spirit level type 70	Stabila	1	30 cm		
				Metre ruler (yardstick)	Stabila	1	2 m		
				Pipe cutter	Zenten	1	3 - 35 mm / 1/8 - 1 1/2"		
00 21 19 LB	081616		KNIPEX L-BO	OXX®, empty, with tool card				320	
00 21 19 LB WK	081609			ol holder for KNIPEX L-BOXX®				95	
00 21 19 LB LE	081975		KNIPEX L-BO	OXX®, empty, without tool card				220	



Tool bag "Classic" Electro

Tried-and-tested: the handy tool bag with tool equipment

► Equipped with 23 brand tools, partly VDEtested according to DIN EN 60900

> Light design made of hard-wearing, reinforced polyester fabric

> Front additionally reinforced with aluminium brackets

> Semi-fold-out front with adjustable loops and exterior document compartment

> With galvanized steel base tray

> With carrying handle and adjustable shoulder strap

> Dimensions, exterior (W x H x D): 440 x 270 x 180 mm Dimensions, interior (W x H x D): 420 x 250 x 160 mm





00 21 02 LEBag without tools

Article No.	EAN 4003773-					Number	Nominal size	Δ' _q
00 21 02 EL	081951		Tool bag "Cla	ssic" Electro, 23 parts				6700
		☆ 1000 V △ ← ● □□□□ ▶ ■	03 06 180	Combination Pliers		1	180 mm	
		<u>A</u> 1000 V △ A	11 06 160	Insulation Stripper		1	160 mm	
		≙ 1000 V △ ← ← ← ←	25 06 160	Snipe Nose Side Cutting Pliers, Radio Pliers		1	160 mm	
		<u>A</u> 1000 V △ 🕰	70 06 160	Diagonal Cutter		1	160 mm	
		<u>A</u> 1000 V △	98 52	Cable Knife		1	185 mm	
		MM	16 95 01 SB	KNIPEX ErgoStrip®, Universal Stripping Tool		1	135 mm	
		≙ 1000 V △€	98 20 25	Screwdrivers for slotted screws		1	0.4 x 2.5 x 75 mm	
			98 20 35 SL		KNIPEX	1	0.6 x 3.5 x 100 mm	
	☆ 1000 V △	98 20 55 SL	Screwdriver (Slim) for slotted screws		1	1.0 x 5.5 x 115 mm		
			98 20 65 SL			1	1.2 x 6.5 x 150 mm	
		≙ 1000 V △♠	98 24 01 SL	Screwdrivers (Slim) for cross-recessed screws, Phillips®		1	PH1 x 80 mm	_
			98 24 02 SL			1	PH2 x 100 mm	
		MM	16 20 165	Dismantling Tool		1	165 mm	
				Voltage detector, single-pole, 247	Wera	1	0.5 x 3.0 x 70 mm	
				Mason's Chisels	D	1	300 x 29 mm	
				Electrician's Chisel	Rennsteig	1	250 x 10 mm	
				Locksmith's hammer	Ruthe	1	300 g	
				Chipping hammer			800 g	
				Metre ruler (yardstick)	Picard	1	2 m	
				Flat brush	ricalu	1	40 mm	
				Plaster bowl		1	127 x 94 mm	
				PUK® Junior Hacksaw	Haunstätter	1	150 x 240 mm	
				Painter's spatula, wood, high quality	Maurerfreund	1	40 mm	
0 21 02 LE	057499		Tool bag "Cla	ssic", empty				29

Tool bag "Stretched"

Handy, but roomy: the tool bag for long tools

- > Made of hard-wearing polyester fabric
- > For tools up to 450 mm in length
- > With two compartments on the back
- > With carrying handle and adjustable shoulder strap
- > Closing strap made of leather
- > Bag without tools





A	EAN	Dimension exterior (interior) width mm	Dimension exterior (interior) height mm	Dimension exterior (interior) depth mm	4
Article No.	4003773-	mm	mm	mm	g
00 21 07 LE	071358	550 (530)	175 (165)	220 (190)	1760

Tool bag "LightPack"

Lightweight and durable, securely locked but quick to open: good for the service vehicle, good for the boot

- > Can be opened from both sides
- > Made from tough polyester fabric, with zip fasteners and hook-and-loop fastener
- > Tool loops inside
- > Plastic base tray
- > Steel handle with softgrip
- > Shoulder strap (can also be used as tool belt)
- > Max. payload: 20 kg
- > Bag without tools









Article No.	EAN 4003773-	Dimension exterior (interior) width mm mm	Dimension exterior (interior) height mm mm	Dimension exterior (interior) depth mm mm	ΔΔ g
00 21 08 LE	077787	480 (450)	380 (310)	300 (260)	2800

Tool bag "Service"

Everything you need: store your tools and notebook safely

- > Lined inside pouch for notebook and DIN A4 documents; also with DIN A4 zipped compartment
- > 90° fold-out front pouch with 8 tool pouches and one small inside pouch
- > Reverse side of the front pouch with 5 tool pouches and 3 pen pouches
- > Removable tool board with 8 tool pouches on the front and 2 rows of elastic loops on the back
- > Splash-water-protected bottom
- > Adjustable shoulder belt with quick-release fastener
- > With two carry loops
- > Made of hard-wearing polyester fabric
- > Bag without tools



Article No.	EAN 4003773-	Dimension exterior width mm	Dimension exterior height mm	Dimension exterior depth mm	ΔΔ g
00 21 10 LE	074472	440	200	340	2700

Tool bag "Kompakt"

Everything organised: tools well stored

► Compact tool bag for the service technician

- > Suitable as an insert for: "Basic" 00 21 05 LE, "BIG Basic Move" 00 21 06 LE, "BIG Twin Move" 00 21 41 LE, "BIG Twin" 00 21 42 LE, "BIG Twin Move RED" 98 99 15 LE and other popular tool cases
- > With 8 tool pouches and 7 tool straps
- > Slip-through back strap to attach to a trolley
- > Made from tough polyester fabric, with zip fastener
- > Bag without tools





	EAN	Dimension exterior width	Dimension exterior height	Dimension exterior depth	44
Article No.	4003773-	mm	mm	mm	g
00 21 11 LE	077718	410	60	290	450

Tool Roll

Essential for work on electrical systems: 15-piece basic tool kit in practical roll-up bag

- > Tool roll made of hard-wearing polyester fabric
- > With practical, adjustable quick release fastener
- > Equipped with a range of insulated KNIPEX tools for works on electrical installations
- > Dimensions, open (L x H): 830 x 310 mm



98 99 13

Article No.	EAN 4003773-				Number	Δ'Δ g
98 99 13	026648		Tool Roll, 15	parts		2455
		☆ 1000 V △♣ ■■	03 07 200	Combination Pliers	1	
		<u>A</u> 1000 V A A ΛΛΛ	11 07 160	Insulation Stripper	1	
		0 1	26 17 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	1	
			70 07 160	Diagonal Cutter	1	
			95 17 200	Cable Shears with twin cutting edge	1	
			98 00 10		1	
			98 00 13		1	
		≙ 1000 V ○	98 00 14	Open-end wrench	1	
			98 00 17		1	
			98 00 19		1	
			98 20 25		1	
		A 4000V A 🗗 🗪	98 20 40		1	
		<u> </u>	98 20 55	Screwdrivers for slotted screws	1	
			98 20 65		1	
	≙ 1000 V △	≙ 1000 V △	98 52	Cable Knife	1	
98 99 13 LE	028888	Tool Roll, empty		<u>'</u>	1	325

Tool Roll

Handy, ideally equipped: eleven-piece set of tools for telecommunications and electrical engineers

- > For telecommunications and electrical engineers
- > Tool roll made of hard-wearing polyester fabric
- > With practical, adjustable quick release fastener
- > Contains eight pliers and three scewdrivers
- > Pliers with chrome-plated heads and two-colour multi-component handles
- > Screwdrivers VDE-tested according to DIN EN/IEC 60900 1000V
- > Dimensions, open (L x H): 450 x 290 mm



00 19 41

Article No.	EAN 4003773-				Number	g
00 19 41	024729		Tool Roll, 11	parts		1620
			03 05 160	Combination Pliers	1	
		MM	11 05 160	Insulation Stripper	1	
		$\Theta \blacksquare \triangleright \P$	25 05 160	Snipe Nose Side Cutting Pliers (Radio Pliers)	1	
			30 15 160	Long Nose Pliers	1	
		8	30 35 160	Long Nose Filers	1	
			31 15 160	Flat Nose Pliers (Needle-Nose Pliers)	1	
			67 05 140	High Leverage End Cutting Nipper	1	
			70 05 140	Diagonal Cutter	1	
		☆ 1000 V △♠	98 20 25	Screwdrivers for slotted screws	1	
		※ 1000 V 企覧	98 20 40	Sciewalivers for Stotled Sciews	1	
		≙ 1000 V △€	98 24 01	Screwdrivers for cross-recessed screws, Phillips®	1	
00 19 41 LE	035930	Tool Roll, empty				205

Set of pliers wrenches

All-purpose tool in a set: five pliers wrenches in space-saving roll-up bag

- > Tool roll made of hard-wearing polyester fabric
- > With hook-and-loop fastener
- > Equipped with wrenches in five different lengths from 125 to 300 mm
- > Dimensions, open (L x H): 430 x 325 mm



Article No.	EAN 4003773-				Number	ΔΔ g		
00 19 55 S4	077817		Set of pliers	wrenches, 5 parts		2060		
			86 03 125		1			
			86 03 150		1			
			86 03 180	Pliers Wrench, Pliers and a wrench in a single tool	1			
			86 03 250		1			
			86 03 300	3 300	1			
00 19 55 S4 LE	077824	Roll-up case for	-up case for pliers wrenches, empty					



Article No.	EAN 4003773-			N N	umber	ΔΔ g		
00 19 55 S5	082613		KNIPEX Cobr	a® Set, 5 parts		1567		
			87 01 125		1			
			87 01 150		1			
			87 01 180	KNIPEX Cobra® Hightech Water Pump Pliers	1			
			87 01 250		1			
	87 01 300		1					
00 19 55 S5 LE	082620	Tool Roll for KNI	Roll for KNIPEX Cobra®, empty					

Mini pliers sets

Small pliers for big jobs: mini pliers sets in practical tool belt pouch


- > Tool bag made from durable polyester fabric, with hook-and-loop fastener and belt clip
- > Dimensions (W x H x D): 75 x 180 x 55 mm



00 20 72 V01









00 20 72 V06



00 19 72 V01



00 20 72 V04



Mini pliers set

Our unbeatable duo, even when you're on the move: handy-sized cutting, gripping and screwing tools

► For gripping, holding and cutting tasks, both large and small

- > KNIPEX Mini Cobra®: the high tech water pump pliers adjustment directly on the workpiece at the press of a button; with fine adjustment for optimum adaptation to different workpiece sizes up to Ø 27 mm
- > Needle-nose combination pliers: ideal for working in hard-to-reach places thanks to the slender head shape with powerful, pointed jaws; with cutting edges for soft, medium hard and hard wire up to Ø 2 mm



KNIPEX Cobra®: with fine adjustment directly on the workpiece



Needle-Nose Combination Pliers: the convex gripping surface on one side makes this the ideal tool for gripping flat parts



00 20 72 V06

Article No.		EAN 4003773-				Number	ΔΔ g	
00 20 72 V06	N	081937		Mini pliers se	rs set in tool belt pouch, 2 parts			
				08 22 145	Needle-Nose Combination Pliers	1		
				87 01 150	KNIPEX Cobra®, Hightech Water Pump Pliers	1		
00 19 72 LE	7	070191	Belt pouch fo	pouch for two pliers up to 160 mm length, empty				

Cable tie cutting set

Safety first: remove the cable tie without damaging the insulation



► For reliable removal of cable harnesses, e.g. in the aerospace industry

- > Pliers wrench with special laser shearing for a good hold: grip, compress or loosen the head of the cable tie, all without cutting it
- > Precision electronics diagonal cutter with rounded pliers head: for low-risk cutting of cable ties in confined spaces or when the cable tie head cannot be held; also suitable for cutting hard wires up to \emptyset 0.7 mm



The cable tie can be safely gripped and compressed with the laser-tooled jaws



All edges on the pliers head are specially rounded – unintentional damage to the insulation is avoided



00 19 72 V01

Article No.		EAN 4003773-				Number	ΔΔ g		
00 19 72 V01	N	070832		Cable tie cutting s	itting set, 2 parts				
				86 03 150 S02	Pliers Wrench	1			
				79 02 125 S1	Precision Electronics Diagonal Cutter	1			
00 19 72 LE	7	070191	Belt pouch fo	pouch for two pliers up to 160 mm length, empty					

NEW DESIGN

Belt Pouch

For two pliers: well stored and close at hand

- > For two pliers up to 160 mm in length
- > Made of hard-wearing polyester fabric
- > With hook-and-loop fastener
- > With elastic side holder for small flash lamp, pen or suchlike
- > With practical belt clip
- > Bag without tools



00 19 72 LE



Practical clip for attaching to belt or trousers



For better accessibility, the clip can be fixed on the inside with the hook-and-loop fastener

Article No.	EAN	Width	Height	Depth	ΔΔ
	4003773-	mm	mm	mm	g
00 19 72 LE	070191	75	180	55	65



Belt Tool Pouch

The most important tools straight to you: The tool bag for your belt

- > Made of hard-wearing polyester fabric and leather
- > With pockets for up to 8 tools
- > Tool loops made of leather, riveted
- > With snap hook
- > Bag without tools



Article No.	EAN	Width	Height	Depth	Δ̈́Δ
	4003773-	mm	mm	mm	g
00 19 73 LE	072065	170	235	75	210

Tool Box "RED" Electro Set 1

Versatile use: the small four-piece VDE tool range in a handy case

> High quality, versatile, shock-resistant plastic case

> Foam insert with honeycomb structure for variable equipment

> Dimensions, exterior (W x H x D): 340 x 56 x 275 mm

00 20 15

Pliers VDE-tested according to DIN EN/IEC 60900 1000V

00 21 15 LE

Box without tools



Article No.	EAN 4003773-				Number	Δ̈́Δ g
00 20 15 024804			Tool Box "RE	D" Electro-Set 1, 4 parts		1430
		≙ 1000 V △♠ □□□	03 06 180	Combination Pliers	1	
		<u>A</u> 1000 V AA	11 06 160	Insulation Stripper	1	
		≙ 1000 V △♠ ⊖ □ □	26 16 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	1	
		≙ 1000 V △△♦	70 06 160	Diagonal Cutter	1	
00 21 15 LE	045175		Tool Box "RE	D", empty		530

Tool Box "RED" Electro Set 2

All you need, safely stored: seven-piece VDE tool set for electrical installation

- > High quality, versatile, shock-resistant plastic case
- > Foam insert with honeycomb structure for variable equipment
- > Dimensions, exterior (W x H x D): 340 x 56 x 275 mm

00 21 15

All pliers and screwdrivers except Water Pump Pliers VDE-tested according to DIN EN/IEC 60900

00 21 15 LE

Box without tools




Article No.	EAN 4003773-					Number	Nominal size	∆∆ g
00 21 15	042853		Tool Box "RE	ED" Electro-Set 2, 7 parts				1520
		≙ 1000 V △♣ ■■	03 06 180	Combination Pliers		1	180 mm	
		☆ 1000 V △← ⊖ □□□	26 16 200	(Stork Beak Pilers)	KNIPEX	1	200 mm	
		☆ 1000 V △♣	70 06 160	3		1	160 mm	
			88 03 180			1	180 mm	
		<u>A</u> 1000 V <u>A</u> €		Corpuddings for elatted arrange 100		1	0.4 x 2.5 x 80 mm	
				Screwdrivers for slotted screws, 160i	Wera	1	0.8 x 4.0 x 100 mm	
		≙ 1000 V △€		Screwdrivers for cross recessed Phillips® screws, 162i PH			PH1 x 80 mm	
00 21 15 LE	045175		Tool Box "RE	ED", empty				530

Pliers Sets


Ideally stored and versatile: plier sets in matching foam insert for workbench and workshop trolley

- > In a foam tray for workbenches and tool trolleys
- > Clearly organised storage of tools
- > Precisely-sized recesses for holding the pliers
- > Foam tray dimensions (W x H x D): 335 x 165 x 33 mm
- > Material: two colour, closed pore foam






00 20 01 V09 Pliers Set "SRZ II"



00 20 01 V15 Pliers Set "Basic"



00 20 01 V16 Pliers Set "Automotive"



00 20 01 V17 Pliers Set "Basic Chrome"

Article No.	EAN 4003773-				Number	∆ d g
00 20 01 V02	069652		Pliers Set "S	RZ", six precision circlip pliers in a foam tray		915
		63	48 11 J1		1	
		O	48 11 J2	Precision Circlip Pliers for internal circlips in bore holes	1	
		○ ₹30°	48 21 J21		1	
		25 4444	49 11 A1		1	
		OWW	49 11 A2	Precision Circlip Pliers for external circlips on shafts	1	
		Ö MM <u>∡</u> 90°	49 21 A21		1	
00 20 01 V09	073291		Pliers Set "S	RZ II", four precision circlip pliers in a foam tray		820
		O	48 11 J2	Dragician Civilia Dilays for internal sireling in have balas	1	
		O <u>√</u> 90°	48 21 J21	Precision Circlip Pliers for internal circlips in bore holes	1	
		OWW	49 11 A2	Dragisian Civilia Dijara far autarnal giveling on shafts	1	
		Ö MM ∡90°	49 21 A21	Precision Circlip Pliers for external circlips on shafts	1	
00 20 01 V15	081586		Pliers Set "E	Basic", four pliers in a foam tray		1121
			03 02 180	Combination Pliers	1	
		$\Theta \blacksquare \blacksquare \blacksquare \blacksquare \blacksquare$	26 12 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	1	
			74 02 180	High Leverage Diagonal Cutter	1	
			87 01 250	KNIPEX Cobra®, Hightech Water Pump Pliers	1	
00 20 01 V16	081593		Pliers Set "A	automotive", four pliers in a foam tray		850
			08 21 145	Needle-Nose Combination Pliers	1	
			74 01 180	High Leverage Diagonal Cutter	1	
		Θ	28 71 280	Long Reach Needle Nose Pliers with transverse profiles	1	
		⊖ ■ ■ 4 5°	28 81 280	Long Reach Needle Nose Filers with transverse profiles	1	
00 20 01 V17	081944		Pliers Set "E	Basic Chrom", four pliers in a foam tray		1140
			03 05 180	Combination Pliers	1	
		$\Theta \blacksquare \triangleright \P$	26 15 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	1	
			74 05 180	High Leverage Diagonal Cutter	1	
			87 05 250	KNIPEX Cobra®, Hightech Water Pump Pliers	1	

Case for Electronics Pliers

Ideal for precision mechanical work: precision tools in a practical bag

> Dimensions, closed (W x H x D): 215 x 160 x 50 mm

00 20 16

7 parts, contains 6 electronics pliers and one pair of precision tweezers; case made of hard-wearing polyester fabric, pliers are held by elastic band, zippered

00 20 16 P

6 parts, contains 6 precision electronics pliers; case made of hard-wearing polyester fabric, pliers are held by elastic band, zippered

00 20 16 P ESD

6 parts, contains 6 ESD precision electronics pliers, electrically discharging version; case made of hardwearing polyester fabric, pliers are held by elastic band, zippered





Article No.	EAN 4003773-	Contents	Δ <u>'</u> Δ
00 20 16	022619	35 12 115 / 35 22 115 / 35 32 115 / 64 32 120 / 77 02 115 / 77 42 115 / 92 34 36	720
00 20 16 P	063223	34 12 130 / 34 22 130 / 34 32 130 / 79 02 120 / 79 02 120 / 79 02 125 / 79 42 125	575
00 20 16 P ESD	063230	34 12 130 ESD / 34 22 130 ESD / 34 32 130 ESD / 79 02 120 ESD / 79 02 125 ESD / 79 42 125 ESD	585

Tool Box "SRZ" **Precision Circlip Pliers**

Well fixed, safely transported: Extensive range in handy case

- > High-quality, impact-resistant plastic case
- > Contains common Precision Circlip Pliers for highest requirements
- > Precisely-sized recesses for holding the pliers
- > Clearly organised storage of tools
- > Dimensions, exterior (W x H x D): 260 x 80 x 210 mm



Article No.	EAN 4003773-				Style	Capacity Ø mm	Tips Ø mm	Number	∆ ∆ g	
00 21 25	050131		Tool Box "S	RZ", Precision Circlip Pliers						
		63	48 11 J1	Precision Circlip Pliers for internal		12 - 25	1.3	1		
		0	48 11 J2	circlips in bore holes	straight tips	19 - 60	1.8	1		
		OWW	49 11 A1	Precision Circlip Pliers for external	straight tips	10 - 25	1.3	1		
		O/WW	49 11 A2	circlips on shafts		19 - 60	1.8	1		
		⊖ <u>√</u> 90°	48 21 J11	Precision Circlip Pliers for external		12 - 25	1.3	1		
		Q <u>x 3</u> 0	48 21 J21	circlips on shafts		19 - 60	1.8	1		
		25 AAAA /00°	49 21 A11	Precision Circlip Pliers for external	angled tips	10 - 25	1.3	1		
		© WW ₹30°	49 21 A21	Precision Circlip Pliers for external circlips on shafts		19 - 60	1.8	1		

Set of Circlip Pliers

Compactly packed: four-piece circlip plier sets in practical roll-up bag

- > Tool roll made of hard-wearing polyester fabric
- > With practical, adjustable quick release fastener > Dimensions, open (L x H): 315 x 275 mm









00 19 56 V01




00 19 57 V01

Article No.	EAN 4003773-				Style	Capacity Ø mm	Tips Ø mm	Number	ΔΔ g
00 19 56	030973		Circlip Pliers	Set, 4 parts	<u> </u>				670
		O	44 11 J2	Circlip Pliers for internal circlips in	straight tips	19 - 60	1.8	1	
		⊖ <u>⊀9</u> 0°	44 21 J21	bore holes	angled tips	19 - 60	1.8	1	
		OWW	46 11 A2	Circlip Pliers for external circlips	straight tips	19 - 60	1.8	1	
		© <u>⊀</u> 90° MM	46 21 A21	on shafts	angled tips	19 - 60	1.8	1	
00 19 56 V01	081548		Circlip Pliers	Set, 4 parts					615
		O	44 11 J1	Circlip Pliers for internal circlips in		12 - 25	1.3	1	
		O	44 11 J2	bore holes	straight time	19 - 60	1.8	1	
		OWW	46 11 A1	Circlip Pliers for external circlips	straight tips	10 - 25	1.3	1	
		OWW	46 11 A2			19 - 60	1.8	1	
00 19 57	050056		Precision Circlip Pliers Set, 4 parts						
		O	48 11 J1	Precision Circlip Pliers for internal		12 - 25	1.3	1	
		O	48 11 J2	circlips in bore holes	straight tips	19 - 60	1.8	1	
		OWW	49 11 A1	Precision Circlip Pliers for external	straight tips	10 - 25	1.3	1	
		070001	49 11 A2	circlips on shafts		19 - 60	1.8	1	
00 19 57 V01	081555		Precision Circlip Pliers Set, 4 parts						
		O	48 11 J2	Precision Circlip Pliers for internal	straight tips	19 - 60	1.3	1	
		⊖ <u>√9</u> 0°	48 21 J21	circlips in bore holes	bent tips	19 - 60	1.8	1	
		OWW	49 11 A2	Precision Circlip Pliers for external	straight tips	19 - 60	1.3	1	
		Ů <u>√</u> 90° ΜΜ	49 21 A21	circlips on shafts	bent tips	19 - 60	1.8	1	
00 19 56 LE	035954		Tool Roll, em	pty, 4 compartments					171

Set of Circlip Pliers

Handy storage: eight-piece range in space-saving roll-up bag

- > Tool roll made of hard-wearing polyester fabric
- > With practical, adjustable quick release fastener > Dimensions, open (L x H): 610 x 240 mm



00 19 57 V01



Article No.	EAN 4003773-				Style	Capacity Ø mm	Tips Ø mm	Number	ΔΔ g
00 19 58 V01	081562		Circlip Pliers Set, 8 parts					1156	
		O	44 11 J1	Circlip Pliers for internal circlips in bore holes	straight tips	12 - 25	1.3	1	
		O	44 11 J2			19 - 60	1.8	1	
		O ₹30°	44 21 J11		angled tips	12 - 25	1.3	1	
		⊜ <u>√9</u> 0°	44 21 J21			19 - 60	1.8	1	
		OWW	46 11 A1	11 A2 Circlip Pliers for external circlips on shafts	straight tips	10 - 25	1.3	1	
		OMM	46 11 A2			19 - 60	1.8	1	
		© <u>√</u> 90° MM	46 21 A11		angled tips	10 - 25	1.3	1	
		© <u>⊀</u> 90° MM	46 21 A21			19 - 60	1.8	1	
00 19 58 V02	081579		Precision Circlip Pliers Set, 8 parts					1357	
		0	48 11 J1	Precision Circlip Pliers for internal circlips in bore holes	straight tips	12 - 25	1.3	1	
			48 11 J2			19 - 60	1.8	1	
		⊖ <u>⊀</u> 90°	48 21 J11		angled tips	12 - 25	1.3	1	
			48 21 J21			19 - 60	1.8	1	
		OWM	49 11 A1	Precision Circlip Pliers for external circlips on shafts	straight tips	10 - 25	1.3	1	
			49 11 A2			19 - 60	1.8	1	
		⊜ <u>₹</u> 90° MM	49 21 A11		angled tips	10 - 25	1.3	1	
			49 21 A21			19 - 60	1.8	1	
00 19 58 LE	081920		Tool Roll, empty, 8 compartments						281

SYMBOLS

<u>A</u> 1000 V	Insulated according to IEC 60900, usable up to 1000				
	VDE tested, also in compliance with GPSG (Equipment and Product Safety Act)				
⇔	Cu- + Al-multi-conductor cable, solid and multi-stranded				
	Square crimp automatic				
^	Mandrel-Crimp				
lue	Trapezoid-Crimp				
•	Square-Crimp				
0	Hexagon				
	Slotted screw				
•	Cross recessed screw				
	Pozidriv cross recessed screw				
\odot	Torx				
1/2"	External square 1/2"				
1/2"	Internal square 1/2"				
WM	With opening spring				
\circ	Internal ring				
\bigcirc	Externel circlip				
	Flat jaws				
	Flat and pointed jaws				
Θ	Half-round jaws				
8	Round jaws				
\angle	Angle				
	Smooth gripping surfaces				
	Knurled gripping surfaces				
	Cutting edges with bevel				
N	NEW				
7	Upgraded				





KNIPEX-Werk C. Gustav Putsch KG

42337 Wuppertal

Tel.: +49 202 47 94-0 Fax: +49 202 47 74 94

info@knipex.com www.knipex.com



